## **Mining Management Exploration Activities**

#### Northern Territory of Australia – Mining Management Act 2001

It is recommended that the Mining Management Plan (MMP) is completed in conjunction with the user guide available on the <u>Northern Territory Government website</u>.

## Section 1 – Project Details

| Project Name<br>Provide new or existing project name | Bynoe (Jewellers/Jewellers Extended) |
|--|--------------------------------------|
|  |                                      |

| Authorisation Number<br>Insert existing authorisation number,<br>where applicable | 1121 |
|---|------|
|---|------|

| <b>Operator Name</b><br>Use ASIC-ABR registered name (if a company), or name of the applicant | Lithium Plus Minerals Ltd |
|---|---------------------------|
| Operator ABN and ACN numbers  | ABN 88 653 574 219        |

| Location and Access Details            | The proposed works are located in the Bynoe locality, north of  |
|--|---|
| Include brief description of the       | Cox Peninsula Road, approximately 25km north-west of Berry      |
| location, access details, and distance | Springs. Access is gained via an existing track (1121-01 V1). A |
| to nearest town or community           | section of new track is required to reach the works site.       |

| <b>Target Commodity Details</b><br>Include target mineral commodities<br>(i.e. gold, copper etc.) | Spodumene |
|---|-----------|
|---|-----------|

| Mining Activities<br>Summarise the mining activities<br>(exploration) to be the subject of the<br>proposed Authorisation or Variation.                             | An access track measuring approximately 0.6km x 4m wide is proposed. |
|--|--|
| Drilling programs over a maximum of<br>four years are supported and<br>encouraged and can be staged.<br>Please refer to the guidelines for<br>further information. |  |

| Proposed Schedule<br>Include start and finish dates of<br>ground disturbing work | Works are planned to occur as soon as approval is received in<br>November and December 2022. Program timing will be<br>extended should weather conditions (or other occurrence)<br>result in program delays. |
|--|--|
|--|--|

### Mining Interest and Land Ownership

List the mining interests (titles), the title holder name/s, the title expiry date and the Property name/Land holder (e.g. pastoralist or Aboriginal land trust) for each title.

| Title<br>Number | Title Holder              | Expiry Date | Underlying Property Name or<br>Land Holder   |  |  |  |
|-----------------|---------------------------|-------------|--|--|--|--|
| EL31092         | Lithium Plus Minerals Ltd | 24/08/2022  | Vacant Crown land – owned by<br>NT Government – Hundred of<br>Parsons (605) – Parcel 1 |  |  |  |

#### **Organisational Structure**

| Position Title        | Name        |
|-----------------------|-------------|
| Managing Director     | Bin Guo     |
| Exploration Manager   | Bryce Healy |
| Environmental Manager | Bin Guo     |

# Section 2 – Operator Self-Assessment of the Environmental Risk

The purpose of this self-assessment is to ensure Operators complete a project risk assessment of potential environmental impacts and are aware of other legislative obligations from various Agencies. As a result of this self-assessment, further information may be required in the form of a management plan to enable full assessment of the MMP. If you have any queries please contact a Mining Officer prior to submitting the MMP. Useful resources to assist with this self-assessment are provided in the User Guide.

| ASSESSMENT<br>ASPECT  | YES<br>or<br>NO | ACTIONS<br>REQUIRED<br>(if answered YES)  | <b>APPENDED INFORMATION</b><br>(e.g. evidence of consultation with DEPWS and/or management plan where required).   |  |  |
|---|-----------------|---|--|--|--|
| Step 1:<br>Are there any<br>threatened flora<br>and fauna<br>species or<br>habitats of<br>significance that<br>may occur in the<br>proposed work<br>area? | YES             | The Operator must<br>assess the<br>likelihood of<br>threatened species<br>or their habitats<br>occurring at or<br>near the site. If the<br>likelihood is high,<br>then a "Significant<br>Impact<br>Assessment" must<br>be undertaken and<br>appended to this<br>document. | <ul> <li>A Desktop Biodiversity Assessment, to assess the likely occurrence of threatened species occurring (within 20km) of the area of EL31092, was undertaken by a suitably qualified and experienced professional in August 2022 (Attachment A). The assessment outlines potential impacts of works proposed within EL31092 and management measures. Recommendations, in addition to the measures listed in Section 6 of this form, include: <ul> <li>the application of stream buffers;</li> <li>the avoidance of and appropriately buffered habitats such as vegetation containing large trees with hollows suitable for fauna;</li> <li>avoidance of high densities of Darwin Cycad (<i>Cycas armstrongii</i>) and areas of potential occurrence of <i>Typhonium praetermissum, Stylidium ensatum and Atalaya brevialata</i>. A species guide has been provided.</li> </ul> </li> </ul> |  |  |
|   |                 |   | <ul> <li>Additional works specifically proposed in<br/>Section 1 – Mining Activities were considered<br/>and further outlined by letter dated 27 October<br/>2022, Desktop Biodiversity Assessment,<br/>Jewellers's prospect, EL31092, Bynoe, NT<br/>(Attachment A2).</li> <li>Attributes, constraints and recommendations<br/>relevant to the proposed works are<br/>summarised as follows: <ul> <li>works are located entirely within open<br/>woodland;</li> </ul> </li> </ul>  |  |  |

#### **Environmental considerations**

#### **Mining Management Exploration Activities**

| ASSESSMENT<br>ASPECT | YES<br>or<br>NO | ACTIONS<br>REQUIRED<br>(if answered YES) | <b>APPENDED INFORMATION</b><br>(e.g. evidence of consultation with DEPWS and/or management plan where required).  |  |  |
|----------------------|-----------------|--|---|--|--|
|                      |                 |  | <ul> <li>works are situated further than 100m from the outer edge of riparian vegetation along the third order stream to the west of the proposed works, and at least 25m from the outer edge of a drainage depression as recommended in NT Government ("NTG") guidelines;</li> <li>species distribution modelling by the NTG indicate that proposed works are generally outside modelled habitat for the following threatened flora species:         <ul> <li><i>Typhonium praetermissum</i></li> <li><i>Stylidium ensatum</i></li> <li><i>Atalaya brevialata</i></li> <li><i>Helicteres macrothrix</i></li> <li><i>Ptychosperma macathurii</i></li> <li>significant vegetation including large trees or specimens providing habitat or fauna food sources should be avoided during clearing;</li> <li>high or very high densities of adult individuals of threatened flora species Cycas armstrongii should be avoided during clearing (refer Attachment A2, Table 2);</li> </ul> </li> <li>This summary should be read in conjunction with the full desktop assessment.</li> <li>Relevant detail should be highlighted to site personnel during environmental inductions.</li> </ul> |  |  |
|                      |                 |  | personner duning environmental modellons.   |  |  |

#### **Mining Management Exploration Activities**

| Step 2:YEAre there anyknown declaredknown declaredweeds within theproposed workarea? |  | YES Seek advice from<br>DEPWS – Weed<br>Management<br>Branch to<br>determine if weeds<br>are present on site<br>and ensure<br>management | Attachment A identifies the below tabled<br>declared weeds that have a high number of<br>records (>100) or are Weeds of National<br>Environmental Significance (WONS), recorded<br>within 20km of the Project area.   |   |  |   |  |
|--|--|--|---|---|--|---|--|
|  |  |  | Scientific<br>Name  | Common<br>Name  | No.<br>Record<br>s within<br>20km  | Growth<br>Form  | Declared<br>Weed<br>(NT)   |
|  |  | measures are<br>appropriate for the<br>level of activity   | Andropogon<br>gayanus   | Andropogon,<br>Gamba Grass  | 241  | Grass   | A/B<br>wons  |
|  |  | proposed and   | Cenchrus<br>polystachios  | Perennial<br>Mission Grass  | 283  | Grass   | В  |
|  |  | attach a Weed<br>Management Plan<br>(if required).   | Eichhornia<br>crassipes   | Eichhornia,<br>Water Hyacinth   | 1  | Forb  | A<br>wons  |
|  |  |  | Jatropha<br>gossypifolia  | Jatropha, Belly<br>Ache Bush,<br>Bellyache<br>Bush  | 24   | Shrub   | A/B<br>wons  |
|  |  |  | Lantana camara  | Lantana   | 44   | Shrub   | B  |
|  |  |  | Mimosa pigra  | Mimosa  | 15   | Shrub   | A/B  |
|  |  |  | Prosopis pallida  | Prosopis,<br>Mesquite,<br>Algaroba  | 1  | Tree  | A<br>wons  |
|  |  |  | Salvinia molesta  | Salvinia  | 3  | Aquatic<br>fern   | B<br>wons  |
|  |  |  | <ul> <li>week</li> <li>week</li> <li>week</li> <li>week</li> <li>week</li> <li>talk to man</li> <li>ensure</li> <li>insperied</li> <li>insperied</li> <li>if velocities</li> <li>before</li> <li>area</li> <li>clean</li> <li>clean</li> <li>to action wate</li> <li>reconstruction area</li> <li>clean</li> <li>clean</li> <li>to action area</li> <li>clean</li> <li>clean</li> <li>clean</li> <li>area</li> <li>clean</li> <li>clean</li> <li>area</li> <li>clean</li> <li>clean</li> <li>clean</li> <li>area</li> <li>clean</li> <li>clean</li> <li>area</li> <li>clean</li> <li>and</li> <li>esta</li> </ul> | n machinery<br>pment befor<br>veen sites o<br>n down in a<br>ccess, and t<br>crway;<br>rd the locat | ng out a<br>ers about<br>an weed<br>rations s<br>an weed<br>re begin<br>through<br>ure they<br>hem to<br>/, vehic<br>re movi<br>r across<br>reas that<br>hat don<br>ion of cl<br>growth<br>as after<br>ds befo | a dedica<br>ut weed<br>ginning<br>staff cal<br>staff cal<br>d seeds<br>ning w<br>o weed<br>y are clo<br>weed-fr<br>les and<br>ng then<br>s propel<br>at are fla<br>'t drain<br>lean do<br>on corr<br>the firs<br>ore they | ated<br>work;<br>n identify<br>from all<br>ork;<br>eaned<br>ree<br>n<br>rty lines;<br>at, easy<br>into a<br>wn<br>idors and<br>t rains |

| ASSESSMENT<br>ASPECT   | YES<br>or<br>NO | ACTIONS<br>REQUIRED<br>(if answered YES)   | <b>APPENDED INFORMATION</b><br>(e.g. evidence of consultation with DEPWS and/or management plan where required).  |
|--|-----------------|--|---|
|  |                 |  | <ul> <li>work to control weeds with government agencies and landholders, particularly those with adjoining or overlapping corridors.</li> <li>Site personnel will take care <u>NOT</u> to:         <ul> <li>drive through weeds;</li> <li>import or export contaminated material including sand, gravel, rock and fill.</li> </ul> </li> <li>Weeds can be identified if necessary using the NT Weed Management Handbook at the following link -         <ul> <li>https://nt.gov.au/data/assets/pdf_file/0006/2</li> <li>52168/weed-management-handbook.pdf. A link to the NTG Vehicle Hygiene Brochure also follows -             <ul> <li>https://nt.gov.au/data/assets/pdf_file/0009/9</li> <li>72432/vehicle-hygiene-brochure-a4-web.pdf.</li> </ul> </li> </ul></li></ul> |
| Step 3:<br>Will you be using<br>water from bores<br>or other sources<br>for the operation? | NO              | Water related<br>matters on mineral<br>titles are no longer<br>exempt from the<br><i>Water Act 1992.</i><br>Please consult with<br>DEPWS Water<br>Resources and/or<br>familiarise yourself<br>with the <i>Water Act</i><br>to ensure<br>compliance under<br>this Act when<br>undertaking<br>exploration<br>activities. | Water will be transported to site.  |

### Environmental assessment and cultural considerations

| ASSESSMENT<br>ASPECT   | YES<br>or<br>NO | MANAGEMENT REQUIREMENTS   |
|--|-----------------|---|
| Step 4:<br>Is your project<br>likely to have a<br>significant impact<br>on the<br>environment? | NO              | Refer to the NTEPA Environmental Factors and Objectives<br>Guideline. |

| ASSESSMENT<br>ASPECT   | YES<br>or<br>NO | MANAGEMENT REQUIREMENTS   |
|--|-----------------|---|
| Step 5:<br>Are there<br>Aboriginal sacred<br>sites in the<br>Project area? | NO              | Sacred Sites are protected under the NT <i>Aboriginal Sacred Sites Act 1989</i> and administered by the Aboriginal Areas Protection Authority (AAPA). It is recommended that advice be sought from AAPA in relation to sacred site protection.  |
|  |                 | Information requests were made to the AAPA in August 2022 regarding Aboriginal sacred sites within EL31092. No registered or recorded sites were located within the licence. Details of previous work clearances in the vicinity were also reviewed and were not applicable to the proposed activity. Background documentation is restricted and therefore cannot be shared or published. (Attachment B).   |
| Step 6:  | YES             | Heritage and archaeology sites are protected in the NT.   |
| Are there<br>archaeological<br>and heritage sites                          |                 | NT Department of Territory Families, Housing and Communities (DTFHC) administers the <i>Heritage Act 2011.</i>  |
| in the Project<br>area?  |                 | Seek advice in relation to protection of heritage and archaeological sites.   |
|  |                 | The Heritage Branch of DTFHC was consulted to identify known<br>archaeological or heritage sites within EL31092 (Attachment C). The<br>enquiry identified a small number of previously recorded Aboriginal<br>archaeological sites on the boundary of EL31092. No declared<br>heritage places were identified. Aboriginal archaeological sites<br>identified are situated more than 2km from proposed works. If any<br>site becomes known during the program, work will stop and the site<br>will be reported to the Heritage Branch. |

## Section 3 – Amendments

As per Section 41(3) of the *Mining Management Act*, an MMP reviewed and amended under Section 41(1)(a) is to have amendments made since the previous MMP submission clearly identified.

| Section   | Amendment   |
|---|---|
| Section 1 – Project Name  | Delete<br>(Jenny's/Perseverance)<br>Insert<br>(Jewellers/Jewellers Extended)  |
| Section 1 – Location and Access<br>Details  | Delete         The proposed works are located north of Cox Peninsula Road, approximately 25km north-west of Berry Springs. Mostly existing tracks will be used for access.         Insert         The proposed works are located in the Bynoe locality, north of Cox Peninsula Road, approximately 25km north-west of Berry Springs. Access is gained via an existing track (1121-01 V1). A section of new track is required to reach the works site.   |
| Section 1 - Mining Activities   | <b>Delete</b><br>Up to 34 RC drill holes x up to 180m max depth (max total 6,800m). 1 x new access track approximately 530m and tracks along drill hole lines totaling 1.1km.<br><b>Insert</b><br>An access track measuring approximately 0.6km x 4m wide is proposed.  |
| Section 1 – Proposed Schedule   | Delete         Planned to occur between September and December 2022. Program timing will be extended should weather conditions, rig availability (or other occurrence) result in program delays.         Insert         Works are planned to occur as soon as approval is received in November and December 2022. Program timing will be extended should weather conditions (or other occurrence) result in program delays.   |
| Section 2 – Operator Self-<br>Assessment of the Environmental<br>Risk - Environmental considerations<br>Step1:  | Delete<br>Entire Step 1.<br>Insert  |
| Section 2 – Operator Self-<br>Assessment of the Environmental<br>Risk - Environmental considerations<br>Step 2: | Replace with current Step 1.         Delete         Attachment A identifies declared weeds, including WONS, recorded within 20km of the Project area.         Insert         Attachment A identifies the below tabled declared weeds that have a high number of records (>100) or are Weeds of National Environmental Significance (WONS) recorded within 20km of the Project area.         Insert         Table of Weeds.         Delete         https://nt.gov.au/data/assets/pdf_file/0016/252133/declared-weeds-in-the-nt.pdf.         Insert         https://nt.gov.au/data/assets/pdf_file/0006/252168/weed-management-handbook.pdf.         A link to the NTG Vehicle Hygiene Brochure also follows -         https://nt.gov.au/data/assets/pdf_file/0009/972432/vehicle-hygiene-brochure-a4-         web.pdf. |
| Section 2 – Step 6  | <b>Delete</b><br>Aboriginal archaeological sites identified are situated at least 1.5km to the north of the nearest proposed drill hole. Recorded heritage site, Hang Gong's Landing, is located just off the access track, approximately 570m to the south of the nearest proposed drill hole. If any site becomes known during the program, work will stop and the site will be reported to the Heritage Branch.<br><b>Insert</b><br>Aboriginal archaeological sites identified are situated more than 2km from proposed works. If any site becomes known during the program, work will stop and the site will be reported to the Heritage Branch.  |

## Section 4 – Activities Proposed for <u>this MMP</u> only

Provide relevant EL numbers

| Mining Interests<br>(i.e. titles)  | EL31092 | EL31091 | EL31133 |  |
|--|---------|---------|---------|--|
| Number and type of<br>proposed exploration drill<br>holes  | N/A     | N/A     | N/A     |  |
| Maximum depth of proposed holes (m)  | N/A     | N/A     | N/A     |  |
| Number and size of drill<br>pads to be cleared<br>(Length: m x Width: m)   | N/A     | N/A     | N/A     |  |
| Total area of drill pads to be cleared (ha)  | N/A     | N/A     | N/A     |  |
| Number of proposed water bores   | N/A     | N/A     | N/A     |  |
| Is drilling likely to encounter<br>groundwater in multiple or<br>confined aquifers?<br>(Y, N, unsure) If answering<br>yes, please provide the<br>number of exploration<br>holes where this is likely to<br>occur | N/A     | N/A     | N/A     |  |
| Number of costeans   | N/A     | N/A     | N/A     |  |
| Volume to backfill<br>costeans (Length: m x<br>Width: m<br>x Depth: m)   | N/A     | N/A     | N/A     |  |
| Number of bulk sample pits   | N/A     | N/A     | N/A     |  |
| Volume to backfill bulk<br>sample pits (Length: m x<br>Width: m x Depth:<br>m)   | N/A     | N/A     | N/A     |  |
| Bulk sample pits approved<br>under <i>Mineral Titles Act</i> ?<br>(Y or N). If Yes provide<br>approval   | N/A     | N/A     | N/A     |  |

| Mining Interests<br>(i.e. titles)   | EL31092     | EL31091 | EL31133 |  |
|---|-------------|---------|---------|--|
| Line/track clearing:<br>(length m x width m)  | (600m x 4m) | N/A     | N/A     |  |
| Area of proposed line/track clearing (ha)   | 0.24ha      | N/A     | N/A     |  |
| Camp area to be<br>cleared (ha)   | N/A         | N/A     | N/A     |  |
| Camp Infrastructure<br>(i.e. demountable, tents)<br>Please provide a complete<br>list with measurements as<br>required in the security<br>calculation | N/A         | N/A     | N/A     |  |
| Other   | N/A         | N/A     | N/A     |  |
| Total proposed area of disturbance (ha)   | 0.24ha      |         |         |  |

## Section 5 – Previous Disturbance (for existing Authorisations only)

The 'Disturbance Tracking' spreadsheet must be completed and attached to the MMP submission to complete this section. The spreadsheet is available on the departmental web page where this template is located.

## Section 6 – Environmental Management

By checking these shaded boxes, you are agreeing to implement the following minimum environmental management standards on the project area. Where boxes have been left unchecked, justification is required.

| 6.1  | • | Blade-up approach for clearing will be used (i.e. no windrows, leave root stock and topsoil)  |
|------|---|---|
| 6.2  | √ | Significant vegetation will be avoided during clearing (i.e. large trees, specimens providing habitat or food sources, riparian vegetation, and threatened species)   |
| 6.3  | • | Vegetation clearing during, and immediately after rainfall events, will be avoided  |
| 6.4  | ~ | Vegetation clearing will be kept to the minimum required to safely traverse vehicles and drill rigs along tracks and drill pads   |
| 6.5  | ~ | Where blade-up techniques cannot be employed, topsoil and vegetation will be stockpiled appropriately for rehabilitation purposes   |
| 6.6  | ✓ | All employees and contractors will be trained and inducted in relation to the management of environmental risks in the work area, including weeds, waterways, threatened species, soil erosion, sacred sites and heritage areas |
| 6.7  | ~ | Sumps will be lined or tanks of appropriate size to contain water, sediment<br>and drilling fluids encountered during drilling, will be used  |
| 6.8  | 1 | Sumps, drill holes, and fuel stores will be located away from environmentally significant areas and water courses   |
| 6.9  | ~ | Excavations (sumps, costeans and pits) will be appropriately ramped to allow fauna egress   |
| 6.10 | ✓ | Drill holes will be securely capped immediately after drilling  |
| 6.11 | √ | Vehicle hygiene measures will be employed to prevent the introduction and spread of invasive species and pathogens when mobilising vehicles and equipment from one location to another  |
| 6.12 | 1 | Hydrocarbon spills will be minimised using liners and drip trays under machinery, and appropriately sized spill-kits available in the event of a spill  |
| 6.13 | ~ | Hazardous substances (including hydrocarbons) will be stored and handled in accordance with relevant Australian Standards   |
| 6.14 | ✓ | Hydrocarbons will be stored in lined and bunded areas   |
| 6.15 | ✓ | Waste will be stored securely while on-site to minimise windblown rubbish and access by feral animals   |
| 6.16 | 1 | Waste will be removed off-site and disposed of at an appropriate waste management facility  |
| 6.17 | ~ | All environmental incidents will be reported to the Department in accordance with Section 29 of the <i>Mining Management Act.</i>   |
| 6.18 | ✓ | Acid and Metalliferous Drainage (AMD) and Potentially Acid Forming (PAF)<br>material derived from drilling cuts will be managed to avoid AMD and PAF<br>related issues on site.   |

| 6.19 | √ | Radioactive/NORM drill cuttings will be managed to avoid radiation related issues on site. |
|------|---|--|
| 6.20 | ✓ | Dust management will be implemented on site.   |

Justification and alternative management measures:

## Section 7 – Rehabilitation and Closure

By checking these shaded boxes, you are agreeing to implement the following minimum rehabilitation standards on the project area. Where boxes have been left unchecked, justification is required.

A refund of security related to completed rehabilitation on site requires the submission of a rehabilitation report including photographs, an updated security calculation and updated disturbance tracking spreadsheet to the Department.

| 7.1  | ✓            | Drill holes will be plugged below ground level at a minimum depth of 0.4 metres and soil mounded to prevent subsidence, within 6 months of completion of drilling. |
|------|--------------|--|
| 7.2  | $\checkmark$ | Drill holes encountering multiple or confined aquifers will be grouted with concrete.  |
| 7.3  | ✓            | Drill samples/spoil will be returned down drill holes, buried in sumps, or removed from site.  |
| 7.4  | ✓            | All drill hole and access markers including flagging tape, wooden markers and star pickets will be removed from site.  |
| 7.5  | ✓            | Cut and fill drill pads will be re-contoured to be consistent with the surrounding terrain.  |
| 7.6  | ✓            | Drill pads and compacted areas along the contour (on sloping ground) will be ripped/scarified of and tracks will be cross-ripped (zig-zag).                        |
| 7.7  | ✓            | Tracks will be rehabilitated, including pushing in all windrows, unless otherwise agreed in writing by the land holder or appropriate third party.                 |
| 7.8  | ✓            | Appropriate erosion and sediment controls will be installed where erosion is evident or likely to occur.   |
| 7.10 | $\checkmark$ | Access through watercourses will be removed and banks restored.  |
| 7.11 | ✓            | All previously disturbed areas will be stable, with no evidence of active soil erosion.  |
| 7.12 | $\checkmark$ | All excavations will be backfilled within 6 months of their completion.  |
| 7.13 | ~            | All water bores will be decommissioned unless otherwise agreed in writing by the land holder or appropriate third party.   |
| 7.14 | ✓            | All rubbish and infrastructure will be removed from site.  |
| 7.15 | ✓            | Topsoil will be replaced and vegetation re-established.  |
| 7.16 | ~            | Contaminated soils (e.g. hydrocarbon or hazardous chemicals) will be rehabilitated or removed from site.   |
| 7.17 | ✓            | Monitoring will be undertaken following the wet season or a significant rainfall event.  |
|      |              |  |

Justification and alternative management measures:

## **Section 8 – Required Attachments**

| 8.1  | ✓            | Initial Application for Authorisation or variation of Authorisation (only if details on the form have subsequently changed).                                     |
|------|--------------|--|
| 8.2  | N/A          | Nomination of Operator Form, where required  |
| 8.3  | ✓            | Security Calculation Spreadsheet   |
| 8.4  | N/A          | Evidence of Land Access Agreement if operating on an Exploration Licence (EL) on Pastoral Lease (e.g. two-ways exchange of email) <b>N/A – Vacant Crown land</b> |
| 8.5  | ✓            | Disturbance tracking spreadsheet (for existing Authorisations)   |
| 8.6  | ✓            | Spreadsheet with coordinates of proposed drill holes or polygons of target areas   |
| 8.7  | ~            | KML/shape files/track logs of proposed tracks, camp sites and proposed drill holes or polygons of target areas   |
| 8.8  | ✓            | Map(s) of the work area(s) showing:  |
|      |              | 1. title boundaries and title numbers  |
|      |              | 2. current and proposed drill holes, or polygons of target areas   |
|      |              | 3. current and proposed tracks   |
|      |              | 4. heritage sites or significant environmental areas   |
|      |              | 5. environmental constraints   |
| 8.10 | N/A          | Radiation Management Plan (if applicable)  |
| 8.12 | $\checkmark$ | Document(s) being appended in relation to Section 2 (if any):  |
|      |              | - Attachment A - Desktop Biodiversity Assessment for EL31092   |
|      |              | <ul> <li>Attachment A2 – Desktop Biodiversity Assessment, Jeweller's prospect,<br/>EL31092, Bynoe, NT</li> </ul>   |
|      |              | <ul> <li>Attachment B – AAPA extract for EL31092</li> </ul>  |
|      |              | - Attachment C – Details of enquiry to Heritage Branch   |