Northern Territory of Australia – Mining Management Act 2001

It is recommended that the Mining Management Plan (MMP) is completed in conjunction with the user guide available on the <u>Northern Territory Government website.</u>

Section 1 - Project Details

Project Name Provide new or existing project name	Orlando Exploration Program
Authorisation Number Insert existing authorisation number, where applicable	N/A
Operator Name Use ASIC-ABR registered name (if a company), or name of the applicant	CUFE Tennant Creek Pty Ltd
Operator ABN and ACN numbers	ABN: 83 655 367 105 ACN: 655 367 105
	<u>, </u>
Location and Access Details Include brief description of the location, access details, and distance to nearest town or community	28km North West of Tennant Creek NT. Access is via Stuart Hwy, Warrego and Orlando Road.
Target Commodity Details Include target mineral commodities (i.e. gold, copper etc.)	Copper and Gold
Mining Activities Summarise the mining activities (exploration) to be the subject of the proposed Authorisation or Variation.	The drilling of 58 RC exploration holes and the collection of samples for analysis. Infill resource drilling program required for proposed open pit cut back.
Drilling programs over a maximum of four years are supported and encouraged and can be staged. Please refer to the guidelines for further information.	Drill pads ~ 58 @ 25m x 25m for 36,250m2 in total. Access tracks ~ 4m wide approximately 200m length in total (800m2).

Mining Management Exploration Activities

Proposed Schedule Include start and finish dates of ground disturbing work	May – Dec 2022
ground disturbing work	

Mining Interest and Land Ownership

List the mining interests (titles), the title holder name/s, the title expiry date and the Property name/Land holder (e.g. pastoralist or Aboriginal land trust) for each title.

During this exploration program activities will be restricted to ML29919 while other stakeholders are engaged.

Title Number	Title Holder	Expiry Date	Property Name or Land Holder
EL29488	Gecko Mining Company Pty Ltd	29/04/2023	Phillip Creek Station
EL28777	Gecko Mining Company Pty Ltd	13/09/2023	Phillip Creek Station
EL30614	Gecko Mining Company Pty Ltd	05/10/2023	Phillip Creek Station
ML29919	Gecko Mining Company Pty Ltd	29/09/2023	Phillip Creek Station

Please note a Land Access Agreement (LAA) is required for disturbance proposed on Pastoral Properties on Exploration Licence (EL).

Organisational Structure

Position Title	Name
Director	Mark Hancock
Projects Director	Jeremy Sinclair
Study Manager	Eric Kiely
Exploration Manager	Olaf Frederickson
Environment and Land Access Manager	Stephen Danti

Section 2 – Operator Self-Assessment of the Environmental Risk

The purpose of this self-assessment is to ensure Operators complete a project risk assessment of potential environmental impacts and are aware of other legislative obligations from various Agencies. As a result of this self-assessment, further information may be required in the form of a management plan to enable full assessment of the MMP. If you have any queries please contact a Mining Officer prior to submitting the MMP. Useful resources to assist with this self-assessment are provided in the User Guide.

Environmental considerations

ASSESSMENT ASPECT	YES or NO	ACTIONS REQUIRED (if answered YES)	APPENDED INFORMATION (Evidence of consultation with DENR and/or management plan)
Step 1: Are there any threatened flora and fauna species or habitats of significance that may occur in the proposed work area?	No	The Operator must assess the likelihood of threatened species or their habitats occurring at or near the site. If the likelihood is high, then a "Significant Impact Assessment" must be undertaken and appended to this document.	A flora and fauna desktop assessment has been conducted over the proposed work area. There are no known threatened flora and fauna records or habitats of significance within the proposed work area (Appendix A).
Step 2: Are there any known declared weeds within the proposed work area?	No	Seek advice from DEPWS – Weed Management Branch to determine if weeds are present on site and ensure management measures are appropriate for the level of activity proposed and attach a Weed Management Plan (if required)	There are no known declared weed species within the proposed work area (Appendix A).
Step 3: Will you be using water from bores or other sources for the operation?	Yes	Water related matters on mineral titles are no longer exempt from the <i>Water Act 1992</i> . Please consult with DEPWS Water Resources and/or familiarise yourself with the <i>Water Act</i> to ensure compliance under this Act when undertaking exploration activities.	The exploration program will not require more than 5ML of water therefore is exempt from the requirement of a water licence under the <i>Water Act</i> .
		Existing water bores from historical mining activities will be used for the proposed exploration program.	

Environmental assessment and cultural considerations

ASSESSMENT ASPECT	YES or NO	MANAGEMENT REQUIREMENTS
Step 4: Is your project likely to have a significant impact on the environment?	No	Refer to the NTEPA Environmental Factors and Objectives Guideline. See Appendix B (NT EPA pre-referral checklist).
Step 5: Are there Aboriginal sacred sites in the Project area?	No	Sacred Sites are protected under the NT Aboriginal Sacred Sites Act 1989 and administered by the Aboriginal Areas Protection Authority (AAPA). It is recommended that advice be sought from AAPA in relation to sacred site protection. Please refer to attached AAPA Abstract of Records (Appendix C).
Step 6: Are there archaeological and heritage sites in the Project area?	No	Heritage and archaeology sites are protected in the NT. NT Department of Territory Families, Housing and Communities (DTFHC) administers the <i>Heritage Act 2011</i> . Seek advice in relation to protection of heritage and archaeological sites. There are no known archaeological and heritage sites in the proposed work area.

Section 3 - Amendments

As per Section 41(3) of the *Mining Management Act*, an MMP reviewed and amended under Section 41(1)(a) is to have amendments made since the previous MMP submission clearly identified.

Not applicable.

Section 4 – Activities Proposed for this MMP only

Mining Interests	ML29919
(i.e. titles)	
Number and type of proposed exploration drill holes	58 RC exploration drill holes
Maximum depth of proposed holes (m)	202m
Number and size of drill pads to be cleared (Length: m x Width: m)	Drill pads ~ 58 @ 25m x 25m: 36,250m2

ML29919
3.62 ha
No water bores to be drilled (existing water bores will be used).
Yes
Tracks ~ 200m long x 4m wide = 800 m2 (0.08 ha)
3.7 ha

Staging approach based on disturbance can be proposed and will be considered by the Department.

Section 5 – Previous Disturbance (for existing Authorisations only)

The 'Disturbance Tracking' spreadsheet must be completed and attached to the MMP submission to complete this section. The spreadsheet is available on the departmental web page where this template is located.

Not applicable.

Section 6 – Environmental Management

By checking these shaded boxes, you are agreeing to implement the following minimum environmental management standards on the project area. Where boxes have been left unchecked, justification is required.

6.1	X	Blade-up approach for clearing will be used (i.e. no windrows, leave root stock and topsoil)
6.2	X	Significant vegetation will be avoided during clearing (i.e. large trees, specimens providing habitat or food sources, riparian vegetation, and threatened species)
6.3	X	Vegetation clearing during, and immediately after rainfall events, will be avoided
6.4	Х	Vegetation clearing will be kept to the minimum required to safely traverse vehicles and drill rigs along tracks and drill pads
6.5	X	Where blade-up techniques cannot be employed, topsoil and vegetation will be stockpiled appropriately for rehabilitation purposes
6.6	Х	All employees and contractors will be trained and inducted in relation to the management of environmental risks in the work area, including weeds, waterways, threatened species, soil erosion, sacred sites and heritage areas
6.7	X	Sumps will be lined or tanks of appropriate size to contain water, sediment and drilling fluids encountered during drilling, will be used
6.8	X	Sumps, drill holes, and fuel stores will be located away from environmentally significant areas and water courses
6.9	X	Excavations (sumps, costeans and pits) will be appropriately ramped to allow fauna egress
6.10	Χ	Drill holes will be securely capped immediately after drilling
6.11	X	Vehicle hygiene measures will be employed to prevent the introduction and spread of invasive species and pathogens when mobilising vehicles and equipment from one location to another
6.12	X	Hydrocarbon spills will be minimised using liners and drip trays under machinery, and appropriately sized spill-kits available in the event of a spill
6.13	X	Hazardous substances (including hydrocarbons) will be stored and handled in accordance with relevant Australian Standards
6.14	X	Hydrocarbons will be stored in lined and bunded areas
6.15	X	Waste will be stored securely while on-site to minimise windblown rubbish and access by feral animals
6.16	Х	Waste will be removed off-site and disposed of at an appropriate waste management facility
6.17	Х	All environmental incidents will be reported to the Department in accordance with Section 29 of the Mining Management Act.
6.18	Х	Acid and Metalliferous Drainage (AMD) and Potentially Acid Forming (PAF) material derived from drilling cuts will be managed to avoid AMD and PAF related issues on site.

Mining Management Exploration Activities

6.19	X	Radioactive/NORM drill cuttings will be managed to avoid radiation related issues on site.
6.20	X	Dust management will be implemented on site.

Justification and alternative management measures:

 Sumps will be installed within drill pads to capture excess/wastewater generated during drilling and will be backfilled and rehabbed at the completion of drilling.

Section 7 - Rehabilitation and Closure

By checking these shaded boxes, you are agreeing to implement the following minimum rehabilitation standards on the project area. Where boxes have been left unchecked, justification is required.

A refund of security related to completed rehabilitation on site requires the submission of a rehabilitation report including photographs, an updated security calculation and updated disturbance tracking spreadsheet to the Department.

Rehabilitation will comply with advisory notes AA7-005 and AA7-029 for rehabilitation of gridlines, tracks, and drill sites. A rehabilitation register will be maintained.

7.1	X	Drill holes will be plugged below ground level at a minimum depth of 0.4 metres and soil mounded to prevent subsidence, within 6 months of completion of drilling.
7.2	X	Drill holes encountering multiple or confined aquifers will be grouted with concrete.
7.3	X	Drill samples/spoil will be returned down drill holes, buried in sumps, or removed from site.
7.4	X	All drill hole and access markers including flagging tape, wooden markers and star pickets will be removed from site.
7.5	X	Cut and fill drill pads will be re-contoured to be consistent with the surrounding terrain.
7.6	X	Drill pads and compacted areas along the contour (on sloping ground) will be ripped/scarified of and tracks will be cross-ripped (zig-zag).
7.7	X	Tracks will be rehabilitated, including pushing in all windrows, unless otherwise agreed in writing by the land holder or appropriate third party.
7.8	X	Appropriate erosion and sediment controls will be installed where erosion is evident or likely to occur.
7.10	X	Access through watercourses will be removed and banks restored.
7.11	X	All previously disturbed areas will be stable, with no evidence of active soil erosion.
7.12	X	All excavations will be backfilled within 6 months of their completion.
7.13	X	All water bores will be decommissioned unless otherwise agreed in writing by the land holder or appropriate third party.
7.14	X	All rubbish and infrastructure will be removed from site.

Mining Management Exploration Activities

7.15	X	Topsoil will be replaced and vegetation re-established.
7.16	X	Contaminated soils (e.g. hydrocarbon or hazardous chemicals) will be rehabilitated or removed from site.
7.17	X	Monitoring will be undertaken following the wet season or a significant rainfall event.

Justification and alternative management measures: Nil

Section 8 – Required Attachments

8.1	X	Initial Application for Authorisation or variation of Authorisation (only if details on the form have subsequently changed).
8.2	Х	Nomination of Operator Form, where required
8.3	X	Security Calculation Spreadsheet
8.4	N/A	Evidence of Land Access Agreement if operating on an Exploration Licence (EL) on Pastoral Lease (e.g. two-ways exchange of email)
8.5	N/A	Disturbance tracking spreadsheet (for existing Authorisations)
8.6	X	Spreadsheet with coordinates of proposed drill holes or polygons of target areas
8.7	X	KML/shape files/track logs of proposed tracks, camp sites and proposed drill holes or polygons of target areas
8.8	Х	Map(s) of the work area(s) showing:
		title boundaries and title numbers
		2. current and proposed drill holes, or polygons of target areas
		3. current and proposed tracks
		4. rehabilitated areas
		5. camp sites
		6. heritage sites or significant environmental areas
		7. environmental constraints
8.10	N/A	Radiation Management Plan (if applicable)
8.12	X	Document(s) being appended in relation to Section 2 (if any):
		Appendix A – Flora and Fauna Desktop Assessment
		Appendix B - NT EPA Pre-screening checklist
		Appendix C – AAPA Abstract of Records